


DOLLY Bench




Box gros weight 18,3 kg – Box vol. 0,38 m³

Tip up bench – mod. 1100S

Structure:

UV-resistant PXD polypropylene backrest and shell. Fire retardant polyurethane foam padding 40 kg/m³ density, 17 mm th.

UV-resistant PXD polypropylene seat and shell. Fire retardant polyurethane foam padding 40 kg/m³ density, 17 mm th. UV-resistant polypropylene underseat.



Box gros weight 20,3 kg – Box vol. 0,38 m³

Version:


Polypropylene seat, backrest and armrest pad.




PXD090 –
black



PXD071 – grey
RAL7040



PXD011 –
white RAL9003



Box gros weight 21,4 kg – Box vol. 0,38 m³

Armrests:




BR258 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart); with black or light grey UV-resistant plastic pads (armrests only on the sides of the bench).



BR259 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart); with black or light grey UV-resistant plastic pads and anti-panic writing tablet (only right armrest on every seat).



BR211 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart); with black or light grey UV-resistant plastic pads (pair of armrests on every seat).



Box gros weight 22,7 kg – Box vol. 0,38 m³

Base:

B5091 – 80 x 40 mm black epoxy varnished metal beam base – Ø 22 mm metallic rod fix structure for backrest and tip-up seat, with spring return system – floor fixable legs in black epoxy varnished steel, including floor fixing kit. See colour chart.

DOLLY Bench



Tip up bench – mod. 1108S

Structure:

UV-resistant plastic backrest frame. RS mesh finish backrest.

UV-resistant PXD polypropylene seat and shell. Seat in fire retardant polyurethane foam padding 40 kg/m³ density, 17 th. UV-resistant polypropylene underseat.

Version:


Polypropylene seat, backrest and armrest pad.



PXD090 –
black



PXD071 – grey
RAL7040



PXD011 –
white RAL9003

Armrests:



BR258 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart); with black or light grey UV-resistant plastic pads (armrests only on the sides of the bench).




BR259 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart); with black or light grey UV-resistant plastic pads and anti-panic writing tablet (only right armrest on every seat).




BR211 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart); with black or light grey UV-resistant plastic pads (pair of armrests on every seat).

Base:


B5091 – 80 x 40 mm black epoxy varnished metal beam base – Ø 22 mm metallic rod fix structure for backrest and tip-up seat, with spring return system – floor fixable legs in black epoxy varnished steel, including floor fixing kit. See colour chart.




Box gros weight 17,3 kg – Box vol. 0,38 m³



Box gros weight 19,3 kg – Box vol. 0,38 m³



Box gros weight 20,4 kg – Box vol. 0,38 m³



Box gros weight 21,7 kg – Box vol. 0,38 m³

DOLLY Bench





Tip up bench – mod. 1104S

Structure:

UV-resistant PXD polypropylene seat and backrest.

Version:

Polypropylene seat and backrest.

PXD090 –
blackPXD031 – red
PANT 201CPXD051 – red
PANT 201CPXD070 – grey
RAL7024PXD071 – grey
RAL7040PXD011 –
white RAL9003

Armrests:



BR258 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart);
with black or light grey UV-resistant plastic pads (armrests only on the sides of the bench).







BR259 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart);
with black or light grey UV-resistant plastic pads and anti-panic writing tablet (only right
armrest on every seat).



BR211 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart);
with black or light grey UV-resistant plastic pads (pair of armrests on every seat).


Base:

B5091 – 80 x 40 mm black epoxy varnished metal beam base – Ø 22 mm metallic rod fix
structure for backrest and tip-up seat, with spring return system – floor fixable legs in
black epoxy varnished steel, including floor fixing kit. See colour chart.

Box gros weight 16 kg – Box vol. 0,38 m³Box gros weight 18 kg – Box vol. 0,38 m³Box gros weight 19,1 kg – Box vol. 0,38 m³Box gros weight 20,5 kg – Box vol. 0,38 m³

DOLLY Bench elements

1BT – 45x50 cm black or grey
melamine magazine table.




Colour chart:



.N – black

DOLLY Bench




Box gross weight 22,7 kg – Box vol. 0,38 m³

Tip up bench – mod. 1101S

Structure:

Backrest with polypropylene inner structure. PXD polypropylene backrest. Fire retardant polyurethane foam padding 40 kg/m³ density, 17 mm th.

Seat with polypropylene inner structure. PXD polypropylene seat. Fire retardant polyurethane foam padding 40 kg/m³ density, 17 mm th. Polypropylene underseat.



Box gross weight 24,8 kg – Box vol. 0,38 m³

Version:


Polypropylene seat, backrest and armrest pad.




PXD090 –
black



PXD071 – grey
RAL7040



PXD011 –
white RAL9003



Box gross weight 26,8 kg – Box vol. 0,38 m³

Armrests:




BR258 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart);
with black or light grey UV-resistant plastic pads (armrests only on the sides of the bench).



BR259 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart);
with black or light grey UV-resistant plastic pads and anti-panic writing tablet (only right
armrest on every seat).



BR211 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart);
with black or light grey UV-resistant plastic pads (pair of armrests on every seat).




Box gross weight 29,4 kg – Box vol. 0,38 m³

Base:

BS091 – 80 x 40 mm black epoxy varnished metal beam base – Ø 22 mm metallic rod fix
structure for backrest and tip-up seat, with spring return system – floor fixable legs in
black epoxy varnished steel, including floor fixing kit. See colour chart.

DOLLY Bench




Box gros weight 21,2 kg – Box vol. 0,38 m³

Tip up bench – mod. 1109S

Structure:

UV-resistant plastic backrest frame. RS mesh finish backrest.

UV-resistant PXD polypropylene seat and shell. Seat in fire retardant polyurethane foam padding 40 kg/m³ density, 17 th. UV-resistant polypropylene underseat.



Box gros weight 23,3 kg – Box vol. 0,38 m³

Version:


Polypropylene seat, backrest and armrest pad.




PXD090 –
black



PXD071 – grey
RAL7040



PXD011 –
white RAL9003



Box gros weight 25,3 kg – Box vol. 0,38 m³

Armrests:




BR258 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart);
with black or light grey UV-resistant plastic pads (armrests only on the sides of the bench).



BR259 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart);
with black or light grey UV-resistant plastic pads and anti-panic writing tablet (only right
armrest on every seat).



BR211 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart);
with black or light grey UV-resistant plastic pads (pair of armrests on every seat).



Box gros weight 27,9 kg – Box vol. 0,38 m³

Base:

B5091 - 80 x 40 mm black epoxy varnished metal beam base – Ø 22 mm metallic rod fix
structure for backrest and tip-up seat, with spring return system – floor fixable legs in
black epoxy varnished steel, including floor fixing kit. See colour chart.

DOLLY Bench




Tip up bench – mod. 1105S

Structure:

UV-resistant PXD polypropylene seat and backrest.

Version:

Polypropylene seat and backrest



PXD090 –
black



PXD031 – red
PANT 201C



PXD051 – red
PANT 201C



PXD070 – grey
RAL7024



PXD071 – grey
RAL7040



PXD011 –
white RAL9003

Armrests:



BR258 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart);
with black or light grey UV-resistant plastic pads (armrests only on the sides of the bench).




BR259 - Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart);
with black or light grey UV-resistant plastic pads and anti-panic writing tablet (only right
armrest on every seat).




BR211 - Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart);
with black or light grey UV-resistant plastic pads (pair of armrests on every seat).

Base:


B5091 – 80 x 40 mm black epoxy varnished metal beam base – Ø 22 mm metallic rod fix
structure for backrest and tip-up seat, with spring return system – floor fixable legs in
black epoxy varnished steel, including floor fixing kit. See colour chart.




Box gros weight 19,3 kg – Box vol. 0,38 m³



Box gros weight 21,3 kg – Box vol. 0,38 m³




Box gros weight 23,4 kg – Box vol. 0,38 m³



Box gros weight 26 kg – Box vol. 0,38 m³

DOLLY Bench elements

1BT – 45x50 cm black or grey
melamine magazine table.




Colour chart:



.N – black

DOLLY Bench




Box gros weight 27,8 kg – Vol. box 0,38 m³

Tip up bench – mod. 1102S

Structure:

UV-resistant PXD polypropylene backrest and shell. Fire retardant polyurethane foam padding 40 kg/m³ density, 17 mm th.

UV-resistant PXD polypropylene seat and shell. Fire retardant polyurethane foam padding 40 kg/m³ density, 17 mm th. UV-resistant polypropylene underseat.



Box gros weight 29,9 kg – Vol. box 0,38 m³

Version:


Polypropylene seat, backrest and armrest pad.




PXD090 –
black



PXD071 – grey
RAL7040



PXD011 –
white RAL9003



Box gros weight 32,9 kg – Vol. box 0,38 m³

Armrests:




BR258 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart); with black or light grey UV-resistant plastic pads (armrests only on the sides of the bench).



BR259 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart); with black or light grey UV-resistant plastic pads and anti-panic writing tablet (only right armrest on every seat).



BR211 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart); with black or light grey UV-resistant plastic pads (pair of armrests on every seat).




Box gros weight 36,7 kg – Vol. box 0,38 m³

Base:

B5091 – 80 x 40 mm black epoxy varnished metal beam base – Ø 22 mm metallic rod fix structure for backrest and tip-up seat, with spring return system – floor fixable legs in black epoxy varnished steel, including floor fixing kit. See colour chart.

DOLLY Bench




Box gros weight 25,8 kg – Vol. box 0,38 m³

Tip up bench – mod. 1110S

Structure:

UV-resistant plastic backrest frame. RS mesh finish backrest.
UV-resistant PXD polypropylene seat and shell. Fire retardant polyurethane foam padding 40 kg/m³ density, 17 th. UV-resistant polypropylene underseat.



Box gros weight 27,9 kg – Vol. box 0,38 m³

Version:


Polypropylene seat, backrest and armrest pad.




PXD090 – black



PXD071 – grey
RAL7040



PXD011 – white
RAL9003



Box gros weight 30,9 kg – Vol. box 0,38 m³

Armrests:




BR258 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart);
with black or light grey UV-resistant plastic pads (armrests only on the sides of the bench).



BR259 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart);
with black or light grey UV-resistant plastic pads and anti-panic writing tablet (only right
armrest on every seat).



BR211 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart);
with black or light grey UV-resistant plastic pads (pair of armrests on every seat).




Box gros weight 34,8 kg – Vol. box 0,38 m³

Base:

BS091 – 80 x 40 mm black epoxy varnished metal beam base – Ø 22 mm metallic rod fix
structure for backrest and tip-up seat, with spring return system – floor fixable legs in
black epoxy varnished steel, including floor fixing kit. See colour chart.

DOLLY Bench





Tip up bench – mod. 1106S

Structure:

UV-resistant PXD polypropylene seat and backrest.

Version:

Polypropylene seat and backrest.

PXD090 –
blackPXD031 – red
PANT 201CPXD051 – red
PANT 201CPXD070 – grey
RAL7024PXD071 – grey
RAL7040PXD011 –
white RAL9003

Armrests:



BR258 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart);
with black or light grey UV-resistant plastic pads (armrests only on the sides of the bench).




BR259 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart);
with black or light grey UV-resistant plastic pads and anti-panic writing tablet (only right
armrest on every seat).




BR211 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart);
with black or light grey UV-resistant plastic pads (pair of armrests on every seat).

Base:


B5091 – 80 x 40 mm black epoxy varnished metal beam base – Ø 22 mm metallic rod fix
structure for backrest and tip-up seat, with spring return system – floor fixable legs in
black epoxy varnished steel, including floor fixing kit. See colour chart.




Box gros weight 23,2 kg – Vol. box 0,38 m³



Box gros weight 25,3 kg – Vol. box 0,38 m³




Box gros weight 28,4 kg – Vol. box 0,38 m³



Box gros weight 32,2 kg – Vol. box 0,38 m³

DOLLY Bench elements

1BT – 45x50 cm black or grey
melamine magazine table.




Colour chart:



.N – black

DOLLY Bench



Box gross weight 31,7 kg – Vol. box 0,38 m³

Tip up bench – mod. 1103S

Structure:

UV-resistant PXD polypropylene backrest and shell. Fire retardant polyurethane foam padding 40 kg/m³ density, 17 mm th.

UV-resistant PXD polypropylene seat and shell. Fire retardant polyurethane foam padding 40 kg/m³ density, 17 mm th. UV-resistant polypropylene underseat.

Version:


Polypropylene seat, backrest and armrest pad.




PXD090 – black



PXD071 – grey
RAL7040



PXD011 – white
RAL9003



Box gross weight 33,7 kg – Vol. box 0,38 m³

Armrests:




BR258 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart); with black or light grey UV-resistant plastic pads (armrests only on the sides of the bench).




BR259 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart); with black or light grey UV-resistant plastic pads and anti-panic writing tablet (only right armrest on every seat).



BR211 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart); with black or light grey UV-resistant plastic pads (pair of armrests on every seat).



Box gross weight 37,9 kg – Vol. box 0,38 m³



Box gross weight 42,9 kg – Vol. box 0,38 m³

Base:


B5091 – 80 x 40 mm black epoxy varnished metal beam base – Ø 22 mm metallic rod fix structure for backrest and tip-up seat, with spring return system – floor fixable legs in black epoxy varnished steel, including floor fixing kit. See colour chart.

Colour chart:



.N – black

DOLLY Bench



Box gros weight 29,2 kg – Vol. box 0,38 m³

Tip up bench – mod. 1111S

Structure:

UV-resistant plastic backrest frame. RS mesh finish backrest.

UV-resistant PXD polypropylene seat and shell. Seat in fire retardant polyurethane foam padding 40 kg/m³ density, 17 th. UV-resistant polypropylene underseat.

Version:


Polypropylene seat, backrest and armrest pad.




PXD090 –
black



PXD071 – grey
RAL7040



PXD011 –
white RAL9003



Box gros weight 31,3 kg – Vol. box 0,38 m³

Armrests:




BR258 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart); with black or light grey UV-resistant plastic pads (armrests only on the sides of the bench).




BR259 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart); with black or light grey UV-resistant plastic pads and anti-panic writing tablet (only right armrest on every seat).



BR211 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart); with black or light grey UV-resistant plastic pads (pair of armrests on every seat).



Box gros weight 35,4 kg – Vol. box 0,38 m³




Box gros weight 40,4 kg – Vol. box 0,38 m³

Base:


B5091 – 80 x 40 mm black epoxy varnished metal beam base – Ø 22 mm metallic rod fix structure for backrest and tip-up seat, with spring return system – floor fixable legs in black epoxy varnished steel, including floor fixing kit. See colour chart.

Tabella colori:



.N – black

DOLLY Bench



Box gros weight 26 kg – Vol. box 0,38 m³

Tip up bench – mod. 1107S

Structure:

UV-resistant PXD polypropylene seat and backrest.

Version:

Polypropylene seat and backrest.



PXD090 –
black



PXD031 – red
PANT 201C




PXD051 – red
PANT 201C




PXD070 – grey
RAL7024



PXD071 – grey
RAL7040



PXD011 –
white RAL9003



Box gros weight 28 kg – Vol. box 0,38 m³

Armrests:




BR258 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart);
with black or light grey UV-resistant plastic pads (armrests only on the sides of the bench).




BR259 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart);
with black or light grey UV-resistant plastic pads and anti-panic writing tablet (only right
armrest on every seat).



BR211 – Ø 12 mm metallic rod frame, chrome or epoxy varnished (see colour chart);
with black or light grey UV-resistant plastic pads (pair of armrests on every seat).



Box gros weight 33,4 kg – Vol. box 0,38 m³




Box gros weight 37,2 kg – Vol. box 0,38 m³

Base:

BS091 – 80 x 40 mm black epoxy varnished metal beam base – Ø 22 mm metallic rod fix
structure for backrest and tip-up seat, with spring return system – floor fixable legs in
black epoxy varnished steel, including floor fixing kit. See colour chart.

Colour chart:



.N – black

MI_DTEC_DOLLY_12/06/2025

MOD 06 / 8.2.2 – Rev 01