


FINISHES



POLYPROPYLENE



PP34
Pesca
Peach



PP1012
Senape
Mustard



PP27
Curry
Curry



PP33
Arancio Carota
Carrot orange



PP3020
Rosso
Red



PP7608U
Marsala
Marsala



PP22
Tabacco
Tobacco



PP30
Verde kaki
Kaki green



PP513
Verde militare
Military green



PP29
Verde oliva
Olive green



PP6018
Verde tropicale
Tropical green



PP557C
Verde pallido
Light teal



PP503
Azzurro polvere
Powder blue



PP2905C
Celeste
Light blue



PP480C
Cipria
Cipria



PP514
Sabbia
Sand



PP9001
Bianco crema
Off-white



PP9010
Bianco puro
Pure white



PP20
Bianco
White



PP21
Grigio perla
Pearl grey



PP24
Grigio luce
Light grey



PP421C
Grigio mandorla
Almond



PP23
Grigio medio
Medium grey



PP7001
Grigio titanio
Titanium grey



PP07
Grigio cemento
Cement grey



PP11
Antracite
Anthracite



PP32
Grigio ardesia
Slate grey



PP31
Nero carbone
Coal black



PP01*
Nero
Black

* Polypropylene has some "shadings" that are more evident in the black color than the others. They are however to be considered in the norm, because they are an intrinsic characteristic of the material.

POLYPROPYLENE



PCR01
Moka
Mokka



PCR02
Caramello
Caramel

Plastica derivata da materiale post-consumo
Plastic derived from post-consumer material
Plástico derivado del material postconsumo

POLYURETHANE



PU01
Rosso
Red



PU14
Rosso rubino
Ruby red



PU19
Rosso porpora
Purple red




PU10
Caffè
Coffee




PU13
Sabbia
Sand



PU20
Verde pallido
Pale green



PU12
Avorio
Ivory



PU02
Bianco
White



PU04
Argento
Silver




PU15
Grigio traffico
Traffic grey



PU03
Nero
Black

POLYAMIDE



PA101
Bianco
White



PA117
Grigio siliceo
Silica grey



PA102
Nero
Black

TRANSPARENT POLYCARBONATE



PC103
Ghiaccio
Ice



PC104
Fumè
Smoke-grey

SOLID COLOUR POLYCARBONATE



PC124
Giallo dalia
Dalia yellow



PC118
Arancione
Orange



PC114
Rosso
Red




PC128
Tabacco
Tobacco



PC125
Sabbia
Sand



PC101
Bianco
White



PC131
Bianco ghiaccio
White Ice



PC117
Grigio siliceo
Silica grey



PC126
Antracite
Anthracite



PC102
Nero
Black

STEEL



AC46
Verniciato giallo Ginestra
goffrato
Ginestra yellow fine textured



AC13
Rame cromato
Copper plated



AC45
Rosso ossido
Oxide red



AC40
Grigio piombo fine
textured
Lead grey fine textured



AC47
Grigio tortora fine
textured
Dove grey fine textured



AC48
Grigio beige fine textured
Grey beige fine textured




AC514
Verniciato goffrato sabbia
Embossed sand painted steel



AC20
Verniciato goffrato bianco
White embossed painted steel



AC30
Verniciato bianco opaco
White matt painted steel



AC44
Bianco fine textured
White fine textured



AC01
Cromato
Chrome plated



AC32
Verniciato grigio opaco
Grey matt painted steel



AC103
Verniciato grigio lucido
Glossy painted steel



AC11
Verniciato goffrato
antracite
Embossed black painted
steel



AC03
Verniciato nero goffrato
Embossed black painted
steel



AC31
Verniciato nero opaco
Black matt painted steel



AC12
Cromato nero
Black chrome plated steel

ALUMINIUM



AL45
Rosso ossido fine textured
Oxide red fine textured



AL07
Acquamarina fine textured
Aquamarine blue fine
textured



AL01
Verniciato bianco goffrato
Embossed white painted



AL04
Verniciato bianco lucido
Glossy white painted



AL30
Verniciato bianco opaco
White matt painted



AL44
Bianco fine textured
White fine textured



AL09
Alluminio pulito
Polished aluminium



AL41
Grigio chiaro fine textured
Light grey fine textured



AL03
Verniciato goffrato antracite
Anthracite embossed painted



AL40
Grigio piombo fine
textured
Lead grey fine textured



AL31
Verniciato nero opaco
Black matt painted



AL09
Verniciato goffrato nero
Black embossed painted



AL05
Verniciato nero lucido
Glossy black painted

PLYWOOD



LV05
Nimbus Sapeli Sycamore




LV06
Stratus Superior American Walnut



LV04
Classic Amazakoue Elegant



LR10
*Rovere Grigio basalto
Basalt grey oak*



LR11
*Rovere terra brown
Terra Brown-stain oak*



LR03
*Rovere naturale
Natural oak*




LR06
*Rovere verniciato antracite
Anthracite stained oak*



LR09
*Rovere Nero grafite
Graphite black oak*



LR08
*Rovere verniciato nero
Black stained oak*




LF01
*Faggio naturale
Natural beech*



LFR01
*Frassino naturale
Natural ash*



LFR07
*Frassino verniciato
antracite
Anthracite stained ash*



LFR08
*Frassino verniciato nero
Black stained ash*



LFR27
*Frassino tinto grigio chiaro
Light gray ash
Ceniza teñida gris claro*


SOLID OAK



MAR03
*Rovere naturale
Natural oak*



MAR06
*Rovere verniciato
antracite
Anthracite stained oak*



MAR08
*Rovere verniciato nero
Black stained oak*

SOLID IROKO WOOD



IRK01
*Tinto nero
Black painted*

SOLID BEECH




MAF01
Faggio laccato grigio siliceo
Silica grey lacquered beech




MAF22
Verniciato azzurro-grigio
Bluegray



MAF21
Verniciato verde salvia
Sage green stained beech




MAFLG6
Laccato bianco opaco
White matt lacquered



MAFGV
Faggio naturale
Natural beech



MAF10
Faggio grigio basalto
Basalt grey



MAF09
Faggio nero grafite
Graphite black



MAF104
Faggio verniciato nero
Black stained beech



MAF02
Faggio nero laccato goffrato
Embossed Black lacquered beech



MAF24
Faggio laccato nero
Black lacquered beech



MAF25
Faggio laccato grigio
Grey lacquered beech




MAF26
Faggio laccato verde
Green lacquered beech


SOLID ASH



MAFR23
Frassino verniciato cipria
Cipria stained



MAFR22
Frassino verniciato azzurro-grigio
Bluegray stained



MAFR21
Frassino verniciato verde salvia
Sage green stained beech



MAFR01
Frassino naturale
Natural




MAFR10
Frassino verniciato grigio basalto
Basalt grey stained



MAFR09
Frassino verniciato nero grafite
Graphite black stained


FULL-GRAIN LEATHER




PR
Red




PC
Cuoio



PB
Ivory



PW
White



PT
Dove grey




PTM
Dark brown




PN
Black

FELT

100% Wool




F009



F008



F015



F003



F011

ECO LEATHER

Composition: 76%PVC - 2%PU - 22%PES

Width: 140 cm

Weight: g/m² 540 +/-10

Cycles (ISO 5470-2): 60000

Colour fastness to dry rubbing (ISO 105-X12): 4/5

Colour fastness to wet rubbing (ISO 105-X12): 4/5

Colour fastness to light (Xenotest - blu scale) (ISO 105-B02): 6

Adhesion (ISO 2411): > 40

Tensile strenght (UNI EN ISO 1421): 600 long.

Tensile strenght (UNI EN ISO 1421): 310 trasv.

Elongation at break % (UNI EN ISO 1421): 57 long.

Elongation at break % (UNI EN ISO 1421): 120 trasv.

Tear strenght (UNI EN ISO 4674): 50 long.

Tear strenght (UNI EN ISO 4674): 50 trasv.


Cycles (UNI 4818-13): 100000

Fireproof test: EN 1021-2:2006 / UNI 9175 classe 1 IM /


BS5852-1:1979 part 1 - TB 117:2013




SE1007




SE1008




SE1009



SE1019



SE1020




SE1010




SE1022



SE1014




SE1021




SE1013



SE1011




SE1012



SE1023



SE1006



SE1005



SE1018




SE1003



SE1004




SE1002




SE1001




SE1015



SE1024



SE1016



SE1017

REVIVE 1 KVADRAT

Designer: Georgina Wright
 Composition: 100% Recycl. polyester FR
 Height: 140 cm
 Selvege:
 Weight: 420 g/lin.m
 Light resistance: 5-7 (ISO 1-8)
 Abrasion: 80.000 Martindale
 Colour: there may be slight differences
 The environment: reduced environmental impact


Fireproof test
 BS 5852 part 1, ig. s. 0
 DIN 4102 B1
 EN 1021-1/2
 IMO FTP Code 2010 Part 8
 NF D 60 013 with treatment
 UNI 9175 11M
 US Cal. Bull. 117-2013
 ÖNORM B1/ Q1




RV424



RV534




RV634



RV664




RV524




RV434




RV414




RV454




RV274




RV384




RV184



RV774



RV764



RV754




RV834



RV944



RV914



RV974



RV284




RV324




RV224




RV144



RV154



RV164




RV194


FIELD KVADRAT

Designer: Alfredo Häberli
 Composition: 100% Trevira CS
 Height: 140 cm
 Selvedge:
 Weight: 430 g/mtl
 Light resistance: 6-7 (ISO 1-8)
 Abrasion: 100.000 Martindale
 Colour: there may be slight differences
 The environment: reduced environmental impact-

Fireproof test
 BS 5852 Crib 5
 BS 5852 part 1, ig. s. 0
 DIN 4102 B1
 EN 1021-1/2
 FAR 25.853
 IMO FTP Code 2010 Part 8
 NF D 60 013
 NF P 92 507 M1
 ÖNORM B1/ Q1
 SN 198 898 5.2
 UNI 9175 11M
 UNI 9177 Classe 1
 US Cal. Bull. 117-2013




FD432




FD542




FD642




FD662




FD682




FD782



FD772




FD762




FD752




FD932




FD952




FD942




FD972




FD982



FD382




FD252




FD232



FD222



FD132



FD142




FD242



FD172



FD182



FD192


UMAMI KVADRAT

Designer: Louise Sigvardt
 Composition: 90% new wool worsted, 10% nylon
 Height: 140 cm
 Selvedge:
 Weight: Umami 420 g/lin.m -
 Umami 2 510 g/lin.m - Umami 3 470 g/lin.m
 Light resistance: 6-7 (ISO 1-8)


Abrasion: Umami 80.000 Martindale
 Umami 2 100.000 Martindale
 Umami 3 60.000 Martindale
 Colour: there may be slight differences
 The environment: natural fibres / renewable resource

Fireproof test
 AS/NZS 3837, class 2
 BS 5852 Crib 5 with treatment
 BS 5852 part 1
 EN 1021-1/2


IMO FTP Code 2010 Part 8
 NF D 60 013
 UNI 9175 11M
 US Cal. Bull. 117-2013




UM212




UM251




UM353




UM332




UM453




UM532



UM551




UM441




UM621




UM712



UM773




UM721




UM512




UM653




UM572




UM143




UM191




UM172




UM743




UM762




UM982




UM973



UM223



UM122



UM111


RECHECK KVADRAT

Designer: Giulio Ridolfo
Composition: 90% WO, 10% nylon
Width: 140 cm
Selvedge: ↑
Weight: 420 g/mtl


Light resistance: 5-7 (ISO 105-B02)
Abrasion: 100000 Martindale
Colour: there may be slight differences.
The environment: Natural fibres / renewable resource

Fireproof test
AS/NZS 1530.3
AS/NZS 3837 class 2
BS 5852 Crib 5 with treatment
BS 5852 part 1
EN 1021-1/2


IMO FTP Code 2010:Part 8
NF D 60 013
NFPA 260
UNI 9175 11M
US Cal. Bull. 117-2013




RC 845




RC 455




RC 645




RC 875




RC 765



RC 985



RC 625



RC 165


STEELCUT TRIO 3 KVADRAT

Designer: Dijkemeijer & Ridolfo
Composition: 90% Wool, 10% Nylon
Height: 140 cm
Selvedge:
Weight: Umami 770 g/lin.m
Light resistance: 6-7 (ISO 1-8)

Abrasion: Umami 100.000 Martindale
Colour: there may be slight differences
The environment: natural fibres / renewable resource

Fireproof test
AS/NZS 3837, class 2
BS 5852 Crib 5 with treatment
BS 5852 part 1
DIN 4102 B1
EN 1021-1/2
IMO FTP Code 2010 Part 8


NF D 60 013
NFPA 260
SN 199 898 5.5 with FR treatment
UNI 9175 11M
US Cal. Bull. 117-2013
ONORM B1/Q1




SC446



SC453




SC436




SC576



SC666




SC526




SC506




SC226




SC246




SC113




SC153




SC796




SC195




SC983




SC716




SC806




SC976



SC176



SC906




SC105


CANVAS KVADRAT

Designer: Giulio Ridolfo
 Composition: 90% New wool worsted, 10%
 Nylon
 Height: 140 cm
 Selvage: ↓
 Weight: 480 g/mtl
 Light resistance: 6-7 (ISO 1-8)
 Abrasion: 100000 Martindale
 Colour: there may be slight differences
 The environment: In compliance with EU envi-
 ronmental regulations

Fireproof test
 AS/NZS 1530.3
 BS 5852 ig. s. 2-3
 DIN 4102 B2
 EN 1021-1/2
 IMO A.652(16)
 NF D 60 013
 NFPA 260
 UNI 9175 11M
 US Cal. Tech. Bull. 117
 ÖNORM B1/Q1




CV414




CV446



CV546




CV556




CV424




CV254




CV454




CV576




CV644




CV654



CV674




CV364




CV374




CV694




CV684




CV786




CV794




CV666




CV746



CV726




CV734




CV984




CV836




CV946



CV954




CV926




CV974




CV996




CV936




CV964




CV264




CV764




CV854




CV356




CV244



CV224




CV614




CV716




CV216




CV114




CV124



CV134



CV154



CV174

DIVINA MELANGE 2 KVADRAT

Designer: Finn Sködt
 Composition: 100% Wool
 Height: 150 cm
 Selvedge: ↓
 Weight: 840 g/mtl
 Light resistance: 5-7 (ISO 105-B02)
 Abrasion: 45000 Martindale
 Colour: there may be slight differences.
 The environment: Natural fibres / renewable resource



Fireproof test
 AS/NZS 1530.3
 BS 5852 ig. s. 5
 BS 5867, part 2, type B
 DIN 4102 B2, ÖNORM B1/Q1
 EN 1021-1/2
 EN 13501, C-s1, d0, glued
 IMO A.652(16)
 NF D 60 013
 NFPA 260
 UNI 9175, 11M
 US Cal. Tech. Bull. 117



DM421



DM471



DM521



DM571



DM671




DM721



DM871



DM180



DM260



DM220

DIVINA 3 KVADRAT

Designer: Finn Sködt
 Composition: 100% Wool
 Height: 150 cm
 Selvedge: ↓
 Weight: 840 g/mtl
 Light resistance: 5-7 (ISO 105-B02)
 Abrasion: 45000 Martindale
 Colour: there may be slight differences.
 The light colours may contain dark fibres.
 The environment: Natural fibres / renewable resource



Fireproof test
 AS/NZS 1530.3
 BS 5852 ig. s. 5
 BS 5867, part 2, type B
 DIN 4102 B2, ÖNORM B1/Q1
 EN 1021-1/2
 EN 13501, C-s1, d0, glued
 IMO A.652(16)
 NF D 60 013
 NFPA 260
 UNI 9175, 11M
 US Cal. Tech. Bull. 117



DV426




DV542



DV623




DV696




DV684



DV676



DV893



DV886




DV936



DV356



DV236



DV106



DV171



DV173




DV191

FIORD KVADRAT

Designer: Louise Sigvardt & Tone Barnung
Composition: 92% Wool, 8% nylon
Width: 140 cm
Selvedge: †
Weight: 500 g/mtl
Light resistance: 5-7 (ISO 105-B02)
Abrasion: 60000 Martindale
Colour: there may be slight differences.
The environment: Natural fibres / renewable resource



Fireproof test
BS 5852 Crib 5 with treatment
BS 5852 part 1
DIN 4102 B2
EN 1021-1/2
IMO FTP Code 2010 Part 8
NF D 60 013
UNI 9175 11M
US Cal. Bull. 117-2013
AS/NZS 3837, class 2



FO 451



FO 521



FO 581



FO 771




FO 751




FO 101




FO 271




FO 171



FO 971



FO 991



FO 191

HARALD 3 KVADRAT

Designer: Raf Simons & Fanny Aronsen
Composizione: 100% Cotone
Larghezza: 140 cm
Cimossa: †
Peso: 520 g/mtl



Resistenza alla luce: 5-6 (ISO 105-B02)
Abrasion: 100000 Martindale
Colore: possono riscontrarsi lievi differenze
L'ambiente: Fibre naturali / risorsa rinnovabile

Fireproof test
AS/NZS 1530.3
BS 5852 ig. s. 5
BS 5867, part 2, type B
DIN 4102 B2, ÖNORM B1/Q1
EN 1021-1/2

EN 13501, C-s1, d0, glued
IMO A.652(16)
NF D 60 013
NFPA 260
UNI 9175, 11M
US Cal. Tech. Bull. 117




HA 443



HA 512



HA 343




HA 182




HA 952




HA 133



HA 212



HA 283



HA 982




HA 582

GLOW KVADRAT


Designer: Dijkmeijer & Ridolfo
Composition: 90% Wool, 10% nylon
Height: 140 cm
Selvege: ↔
Weight: 360 g/mtl

Light resistance: 6-7 (ISO 105-B02)
Abrasion: 60000 Martindale
Colour: there may be slight differences.
The light colours may contain dark fibres.
The environment: In compliance with EU environmental regulations


Fireproof test
BS 5852 ig. s. 3
EN 1021-1/2
IMO 2010 p. 8
NF D 60 013
UNI 9175, 11M
US Cal. Tech. Bull. 117
Önorm B1/Q1



GL443




GL453




GL543




GL663




GL673




GL753




GL773




GL793




GL733




GL723




GL923




GL933




GL873




GL893




GL393



GL383




GL363




GL343




GL213




GL123



GL143



GL1153



GL183

PATIO KVADRAT

Designer: Karina Nielsen Rios
Composition: 100% Trevira CS
Height: 140 cm
Selvedge: ↔
Weight: 560 g/lin.m


Light resistance: 7 (ISO 105-B02)
Abrasion: 50000 Martindale
Colour: there may be slight differences.
The light colours may contain dark fibres.
The environment: In compliance with EU environmental regulations

Fireproof test
BS 5852 ignition source 5
BS 5852 part 1 ignition source 0
DIN 4102 B1, EN 1021-1/2
IMO FTP Code 2010 Part 8
NF D 60 013
NF P 92 507 M1
UNI 9175 IIM
US Cal. Bull. 117-2013
ÖNORM B1/Q1



10 year
warranty


WATER-REPELLENT




PATC0100



PATC0110



PATC0140



PAT0150




PAT0170



PAT0200



PAT0210



PAT0220



PAT0230




PAT0340



PAT0370



PAT0410



PAT0430



PAT0440



PAT0450



PAT0550



PAT0570



PAT0650




PAT0730




PAT0740



PAT0750



PAT0780



PAT840



PAT0970

MIAMI PINTAIL














Composition: 88% Polyester, 12% Polyethylene
 Total width: 140 cm (UNI EN 1773)
 Weight per square meter: 260 g/m² (± 4%) (UNI 5114)
 ("Martindale") Abrasion resistance. Rubs: 80000
 Light resistance: 7 (ISO 105-B02)
 Pilling resistance: 5 (ISO 12945-2)



ON REQUEST



WATER-REPELLENT

**PM1102****PM2009****PM3560****PM1986****PM3001****PM11-3006****PM11-5010****PM5011****PM10-5018****PM11-5004****PM5001****PM7746****PM10-6025****PM11-6007****PM13-6003****PM11-8002****PM11-8008****PM7744****PM6003****PM0000****PM11-7004****PM0978****PM1000**

BYTE










Composition 100%PL
 Total width: 140 cm (UNI EN 1773)
 Weight per linear meter: 460 g/LM (± 4%)
 ("Martindale") Abrasion resistance. Rubs: 30.000 End point (ISO 12947- 2)
 Pilling resistance: 4/5 (ISO 12945-2)
 Tensile strength: Length 1000 - Width 1300 (ISO 13934-1)

Seam slippage at less than 6 mm: Length >200 - Width >200
 (ISO 13936-1)

Colour fastness rubbing (dry): staining CO 4/5 (ISO 105-X12)
 Colour fastness rubbing (wet): staining CO 4/5 (ISO 105-X12)
 Colour fastness artificial light: 3/4 (ISO 105 B02)



NO-SHRINK
WATER-REPELLENT

**BY804****BY307****BY303****BY003****BY707****BY700****BY100****BY400****BY605****BY401****BY600****BY402****BY403****BY405****BY602**


Per quotazioni Kd consultare l'Ufficio commerciale Infiniti. For Kd quotes, please contact the Infiniti Sales Department. Para cotizaciones Kd, consulte la oficina de ventas de Infiniti.

PATINA CAMIRA


Designer: Finn Sködt
Composition: 69% Wool, 22% Flax, 8% Polyamide, 1% Viscose
Width: 140 cm
Selvedge: †
Weight: 330 g/mtl

Light resistance: 5 (ISO 105-B02)
Abrasion: 100000 Martindale
Colour: there may be slight differences.
The light colours may contain dark fibres.
The environment: Certified to the EU Ecolabel


Fireproof test
EN 1021 - 1
EN 1021 - 2
BS 7176 Low Hazard
BS 5852 Ignition Source 5
BS 7176 Medium Hazard
ÖNORM B 3825 & A 3800-1
UNI 9175 Classe 1 IM
BS 5867-2: Type B



PT25




PT26



PT09




PT15




PT27




PT36




PT18




PT42




PT14




PT40




PT22




PT29




PT19



PT17




PT06




PT23




PT31




PT01



PT32




PT28




PT39



PT21




PT38




PT37



PT41




PT05



PT06




PT07




PT08



PT33



PT30




PT10




PT43




PT13



PT11



PT16




PT02



PT12




PT34



PT04



PT24



PT03



PT20



PT35

FLASH NO-SHRINK

Composition: 100% PP

Total width: 140 cm (UNI EN 1773)

Weight per linear meter: 450 g/LM ($\pm 4\%$)Weight per square meter: 320 g/m² ($\pm 4\%$) (UNI 5114)

("Martindale") Abrasion resistance: Rubs: 70000 End point (ISO 12947-2)

Pilling resistance: 5 (ISO 12945-2)

Tensile strength: Length 1398,87 - Width 1091,41 (ISO 13934-1)

Maximum elongation: Length 48,23% - Width (ISO 13934-1)

Seam slippage (6 mm): Length >200 - Width >200 (ISO 13936-1)

Colour fastness rubbing (dry): staining CO 4/5 (ISO 105-X12)

Colour fastness rubbing (wet): staining CO 4/5 (ISO 105-X12)


Colour fastness artificial light. Colour change: light 5, medium 4, dark 5 (ISO 105 B02)



NO-SHRINK



FL501



FL500



FL301



FL305




FL300




FL310




FL900




FL001



FL005




FL003



FL004



FL002




FL705



FL700




FL707




FL710




FL810



FL804



FL800




FL807




FL111



FL400



FL101



FL100



FL402



FL408



FL600



FL601



FL409



FL403



FL407



FL602



FL405



FL200

CORIAN®




CO01
Limestone prima




CO02
Cosmos Prima

TERRAZZO



TZ02



TZ01

FENIX® NTM®



FX04
*Bordeaux
Bordeaux*



FX01
*Bianco
White*



FX05
*Grigio chiaro
Light grey*




FX03
*Antracite
Anthracite*



FX02
*Nero
Black*

LIGHT SURFACE



LS02
*Bianco
White*




LS05
*Antracite
Anthracite*




LS03
*Nero
Black*

Multipanel with lightened material inserted between aluminum and expanded polystyrene, inside a wooden perimeter frame. The cover consists in a sheet of lacquered laminate.

LAMINATE



LM01
*Bianco
White*



LM07
*Sabbia
Sand*




LM08
*Grigio cemento
Cement grey*




LM02
*Nero
Black*

MICROTOPPING



MT07
*Grigio tortora
microtopping
Dove grey microtopping*



MT06
*Microtopping antracite
Anthracite microtopping*

MAT WOOD



MW01
*Bianco
White*




MW02
*Nero
Black*

NEWPANN



NEW04
Verniciato bianco goffrato
Embossed white painted



NEW01
Rovere grigio
Grey oak



NEW05
Verniciato antracite goffrato
Embossed anthracite painted




NEW03
Rovere verniciato nero
Painted black oak



NEW06
Verniciato nero goffrato
Embossed black painted


MDF VENEER



MDF09
Impiallacciato faggio
naturale
Natural beech veneer



MDF08
Impiallacciato rovere
naturale
Natural oak veneer



MDF03
Laccato bianco goffrato
Embossed white
lacquered



MDF11
Laccato grigio chiaro
goffrato
Embossed light grey
lacquered



MDF05
Laccato antracite goffrato
Embossed anthracite
lacquered



MDF02
Laccato nero goffrato
Embossed black
lacquered




MDF12
Laccato bordeaux
goffrato
Embossed bordeaux
lacquered

HERITAGE OAK



RH03
Rovere heritage naturale
Heritage natural oak



RH08
Rovere verniciato nero
Heritage black oak

GRES/TECHNICAL CERAMIC



GS01
Statuario
Statuario
Statuario



GS02
Marquina
Marquina
Marquina